




Ohmetron
INNOVATIVE LABORATORY EQUIPMENT



PRODUCT SPECIFICATION

WWW.OHMETRON.COM

AUTOMATIC PH METER

PRODUCT FEATURES

- AUTO CALIBRATION
- AUTO BUFFER RECOGNISATION
- AUTO TEMPERATURE COMPENSATION
- AUTO TEMPERATURE SENSOR DETECT
- 5 OR 3 BUFFERS CALIBRATION POINT
- ON DISPLAY TEMP & TOGGLE TO PH/MV
- CUSTOM BUFFERS SELECTION
- ERGONOMIC DESIGN
- DESKTOP SUITABLE SLOPE
- SMALL FOOTPRINT
- EASY DIALOGUE MODE SOFTWARE
- ELECTRODE RESPONSE ADJUSTABLE
- STABILITY INDICATION AT CALIBRATION
- AUDIBLE RESPONSE WHILE KEY PRESS
- ERROR DETECT ON CALIBRATION While Wrong with Buffer or Electrode
- Calibration Range:
Min: 1.68 pH
Max: 12.45 pH



Model	pH Q X 7
Measurment	14 pH
Resolution	0.01 pH , 0.1 pH
Limits of Error for pH	±0.01 pH
Temperature Range	0°C to 99°C
Temperature Resolution	1 °C
Limits of error for Temperature	0.3 °C
Power Requirement	230-240V, AC, 50Hz, Single Phase

*The product design & specification are subject to change due to continues R&D.

** All dimensions are in mm.



Igneous Technologies Pvt. Ltd

WWW.OHMETRON.COM